WHAT IS CLAIMED IS:

A data management system for patient data, comprising:

a first component having a functionality code segment and a user interface code segment;

a second component having a functionality code segment and a user interface code segment; and

a container application having a first user interface layer in communication with the first component and a second user interface layer in communication with the second component, wherein the first and second user interface layers are configured to communicate patient data between the functionality code segments of the first and second components, respectively, and a user interface.

- 2. The data management system of claim 1, wherein the functionality code segment of the first component is configured to store and retrieve patient image data.
- 3. The data management system of claim 2, wherein the functionality code segment of the second component is configured to store and retrieve patient text data.
- 4. The data management system of claim 1, wherein the first and second user interface layers are configured to format the patient data from the first and second functionality code segments with the same look and feel.
 - 5. The data management system of claim 1, the container further comprising a first service layer in communication with the first component and a second service layer in communication with the second component, wherein the first and second service layers are configured to

15-IS-5288

- 5 communicate data between the functionality code segments of the first
- 6 and second components and a service.
- 1 6. The data management system of claim 5, wherein the
- service includes a telecommunication service.

15-IS-528&

h.

database;

A data management system for patient data, comprising: a first application for retrieving patient image data from a

- a second application for processing patient text data; and a data manager in communication with the first and second applications, wherein the data manager includes a user interface code segment in communication with the first and second applications for receiving the patient image data and patient text data for generating display signals based on the patient image data and the patient text data according to a predetermined display format.
- 8. The data management system of claim 7, further comprising a display unit configured to receive the display signals and provide a display based on the display signals.
- 9. The data management system of claim 7, wherein the predetermined display format has a look and feel for both the patient image data and the patient text data.
- 10. The data management system of claim 7, further comprising a third application configured to process data, the user interface code segment in communication with the third application and configured to receive the data and to generate display signals based on the data.
- 11. The data management system of claim 10, wherein the third application is in communication with the internet.

1

2

1

2

1

2

1

2

3

4

5

6

7

1

2

3

15-IS-5288

		/
1	1/2.	A data management system for patient data, comprising:
2	1	a first component configured to retrieve patient image data;
3		a second component having a second functionality;
4		a first service layer configured to communicate with the first
5	component;	
6		a second service layer configured to communicate with the
7	second com	ponent; and
8		a service configured to communicate with the first
9	component	and the second component via the first and second service
10	layers, respe	ectively, wherein the service communicates with the first and
11	second com	ponents via a predetermined protocol.

- The data management system of claim 12, wherein the 13. second functionality is configured to communicate with the internet.
- The data management system of claim 12, wherein the 14. second functionality is configured to process patient text data.
- The data management system of claim 12, wherein the 15. service includes a telecommunication service.
- The data management system of claim 12, further 16. comprising a container application having a first user interface layer in communication with the first component and a second user interface layer in communication with the second component, wherein the first and second user Interface layers are configured to communicate patient data between the first and second components, respectively, and a user interface,
- The data management system of claim 16, wherein the container is configured to provide the patient data to the user interface with a predetermined look and feel.

18. The data management system of claim 12, wherein the predetermined protocol includes componentware.



2

1

2

3

	15-15-5200	
1	19. A data management system for patient data, comprising:	
2	first means for processing patient image data;	
3	second means for processing patient text data; and	
4	third means for communicating between the first and second	
5	means, for receiving patient image data and patient text data from the	
6	first and second means, and for displaying the patient image data and	
7	patient text data according to a predetermined display format.	

- 20. The data management system of claim 19, wherein the first means includes a PACS component.
- 21. The data management system of claim 19, wherein the first means includes a user interface code segment, and the third means includes a user interface layer in communication with the user interface code segment.

15-IS-5288

data.

8

1

2

1

2

1	/2 2.	A method of displaying patient data from a plurality o
	/	
2	applications,	comprising:

3	receiving patient image data;
1	receiving patient text data;
ō	configuring both the patient image data and patient text data
6	according to a predetermined display format; and
7	displaying the configured patient image data and patient text

- 23. The method of claim 22, further comprising receiving the patient image data from a PACS database.
- 24. The method of claim 22, wherein the predetermined display format includes a display format for an icon.
- 1 25. The method of claim 22, wherein the predetermined display 2 format includes a display format for a menu.
- 1 26. The method of claim 22, further comprising communicating 2 the patient image data through a user interface layer.
- 1 27. The method of claim 22, further comprising providing patient 2 image data to one of the internet and an intranet.

